



## Abbreviations

<b>ACR20</b>	ACR is the percentage of improvement, comparing disease activity at 2 discrete time points (usually baseline and postbaseline comparison).
<b>ACR50</b>	
<b>ACR70</b>	ACR20 is $\geq 20\%$ improvement; ACR50 is $\geq 50\%$ improvement; ACR70 is $> 70\%$ improvement.
<b>ANOVA</b>	analysis of variance
<b>BID</b>	twice daily
<b>CASPAR</b>	CLAssification criteria for Psoriatic ARthritis
<b>CRP</b>	C-reactive protein
<b>DAS28(CRP)</b>	Disease Activity Score 28 joints (C-reactive protein)
<b>HAQ-DI</b>	Health Assessment Questionnaire disability index
<b>HAD</b>	high disease activity
<b>IR</b>	inadequate response
<b>LDA</b>	low disease activity
<b>MASES</b>	Maastricht Ankylosing Spondylitis Enthesitis Score
<b>MoDA</b>	moderate disease activity
<b>MTSS</b>	multi-tiered system of support
<b>MTX</b>	methotrexate
<b>PsA</b>	psoriatic arthritis
<b>PASDAS</b>	Psoriatic Arthritis Disease Activity Score
<b>SF-36 PCS</b>	Short form-36 correlated physical health scores
<b>SPARCC</b>	enthesitis index: Spondyloarthritis Research Consortium of Canada
<b>TNFi</b>	tumor necrosis factor inhibitor
<b>VAS</b>	visual analogue scale